## ANNUAL RATE CONTRACT FOR SUPPLY, INSTALLATION AND MAINTENANCE OF, FURNITURE & FURNISHING ITEMS'' AT FCI ALIGARH

NIT No: 479/NIT/FCI/2018-19

Dated - 13/07/2018

## NAME OF Vender

## **FCI Aligarh Tender Financial Bid Document** Annexure "C" Financial Bid Make / QTY Per Unit Price Brand / Net Amount Brand Specification | SPECIFICATION SNO. ITEM IMAGE are illustrative Mention Δ В F=(AxB) Size-LxWxH: 1500x820x750 Godrej/Wipro/ 1. Structure made of 18 gauge MS rectangular pipe of Century/Geeken/ 50x25 mm TEACHER TABLE Bison/Stellar/ 2. Covered on three sides by 18 mm dense anti-termite 4 0.00 Methodex/Others/ plywood , with 2 mm thick PVC 3. Two lockable drawers on the right hand side of Ebco / Godrej make Size:DxWxH:450x470x810 Godrej/Wipro/ 1. Seat Height:- 450mm Century/Geeken/ 2. Seat Size:- 450mm x 450mm Back size :450 TEACHER CHAIR 2 Bison/Stellar/ 3. The structure to be made with 25 mm tubular MS 4 0.00 Methodex/Others/ steel pipes with powder coating 4. Seat cushion 70 mm and back 45 mm Self 6. Legs with nylon stripes held tight with screws 1. Size:(Lx B x H): 609x508x1067+6-3" glass tower with inclination 2. Made from 18mm dense plywood of ISI mark 303 grade covered on all sides with postform mica. Having 12mm Toughened glass shelf of 8 mm from top inclined towards back side. Inclination of 64 mm PODIUM STAND 3. College logo on the front side embossed on the SS 0.00 1 sheet . 4. LOGO Size: 450mm x 450mm. Wheels of 2 inch at the base of the Podium 5. A single shelf of height 304 mm 6. Colour : Brown 7. Design to be made as per picture 1. Size- 1000 x 650mm EDGES COVERED WITH THUMB-PIN ALUMINIUM SHEET. 3 BOARDS ( 0.00 2. Covered with Wire mesh with Two front doors with UNCOVERED ) 1. Specification: 1900x750 mm MAGZINE 2. SS 304. 18 swg 2 0.00 STAND 3. Legs of 16 swg 50 mm 1. Specification: 1900x750 mm NEWSPAPER 2. SS 304. 18 swg 0.00 STAND 3. Legs of 16 swg 50 mm Size: LxDxH: 1600x 865 x 820 1. Seater integrated classroom desk bench. 3. Under shelf height of 152 mm in the table of powder coated MS frame for keeping books 4. Chair seat and the back rest made of powder coated MS frame of 18 swg & termite proof ISI 303 grade, 18 mm dense ply wood covered with postform mica and smooth wooden beading. CHAIR STUDENT 40 5. Back rests to have 15 degree bend towards backside. 0.00 (THREE SEAT) 6. Gap between the table and the bench should be atleast 203 mm 7. Table top to be angled at least 20 degrees, made of termite proof ISI 303 grade, 18 mm dense ply wood covered with postform mica and smooth rounded wooden beading to stop falling of books. 8. MS 20 gauge rectangular pipe of 25 mm square to be

| 8  | CENTRE TABLE                      | Godrej/Wipro/<br>Century/Geeken/<br>Bison/Stellar/<br>Methodex/Others/<br>Self | Size: Lx BxH: 1300 X 800 x 450  1. Structure: teak wood  2. Under shelf of tempered glass 12 mm  3. Top shelf with designer tempered glass 12 mm  | 2 |  | 0.00 |
|----|-----------------------------------|--|---|---|--|------|
| 9  | BELL DESK                         |  | Size:(L x B x H): 1500x508x1067+6-3" glass tower with inclination  1. Made from 18mm dense ply 303 grade ISI covered on all sides with 1.5 mm mica.  2. Having 12mm Toughened glass shelf of 8 mm from top inclined towards back side.  3. Inclination of 64 mm  4. College logo on the front side embossed on the SS sheet .  5. LOGO Size: 450mm x 450mm. Wheels of 3 inch on the width side of the Podium.  6. Two shelf of height 304 mm  7. Colour : Brown   | 1 |  | 0.00 |
| 10 | LUGGAGE<br>TROLLY                 |  | 1. Specification: 2. Stainless steel 304 construction 3. Strong tubular round stainless steel tubes 4. 4 x 20 cm castors, 2 with locking system 5. Approximate Dimension: 110W x 60D x 190H cm 6. Rubber bumper protection on all 4 sides 7. Carpeted base  | 1 |  | 0.00 |
| 11 | CHAIR SOFA<br>(SINGLE<br>SITTING) | Godrej/Wipro/<br>Century/Geeken/<br>Bison/Stellar/<br>Methodex/Others/<br>Self | Height:  1. One seater- 820mm-(W) x 820mm (D) x 1000mm (H) and seat height 450 mm, Armheight 510mm  2. Sofa structure is to be made of 45 x 28mm finished teak wood section, the structure shall be provided with flat helical spring.  3. Seat: Sofa seats is t6 be made with 90mm thick 40 density foam with toping of 20mm  4. super soft foam.  5. Back : Back is to be made with 45mm thick 32 density foam with toping of 20mm super soft foam.  6. Arm: Arm shall be made of 95 x 28mm wood section front back and top. Sidefacing wooden ply of 75 x 25mm section is to be provided. Side arms are to be provided with 20mm thick 28 density foam cushion on both side.  7. Sofa front: Sofa front is to be covered with 20mm thick 28 density foam.  8. Tapestry: Good quality tapestry of market rate approx. 400/- per meter is to be used on sofa sets as per approved colour.  9. Wood: Defect free teak wood.  10. Polish: Malemine of approved colour. | 4 |  | 0.00 |
| 12 | SOFA (3<br>SEATOR)                | Godrej/Wipro/<br>Century/Geeken/<br>Bison/Stellar/<br>Methodex/Others/<br>Self | 1. Three seater- 1800mm-{W} x 800mm (D) x 720mm (H) and seat height 380mm, Armheight 510mm 2. Sofa structure is to be made of 45 x 28mm finished teak wood section, the structure shall be provided with flat helical spring. 3. Seat : Sofa seats is t6 be made with 90mm thick 40 density foam with toping of 20mm 4. super soft foam. 5. Back : Back is to be made with 45mm thick 32 density foam with toping of 20mm super soft foam. 6. Arm : Arm shall be made of 95 x 28mm wood section front back and top. Sidefacing wooden ply of 75 x 25mm section is to be provided. Side arms are to be provided with 20mm thick 28 density foam cushion on both side. 7. Sofa front : Sofa front is to be covered with 20mm thick 28 density foam. 8. Tapestry : Good quality tapestry of market rate approx. 400/- per meter is to be used on sofa sets as per approved colour. 9. Wood : Defect free teak wood. 10. Polish : Malemine of approved colour.            | 2 |  | 0.00 |
| 13 | LUGAGE RACK                       |  | Size: LxWxH: 1000 x 609 x 762 mm"  1. Structure of Teak wood ply ISI 303 grade as per requirement  2. Material: 18mm ISI dense waterproof ply   | 2 |  | 0.00 |

| 14 | RECEPTION<br>COUNTER/F O<br>DESK | 1. Overall size LxBxH: 4000 x 760 x 1120 mm 2. Structure made of dense plywood of ISI mark 303 grade with postform mica. 3. The counter is devided into 3 part left LxHxw: 915x915x609 mm, middle part LxHxW: 1525x1220x609 mm and the right part LxBxW: 1220x915x915 mm 4. The middle portion protruding outside in front by 202 mm and top with12 mm toughened black glass 5. The entire left to right with 12 mm plywood of ISI mark 303 grade covered with postform mica extending further 152 mm to the RHS 6. The front face of the middle part has a sealed window of 8 mm toughened glass size LxH: 457x915 mm, leaving 609 mm from the RHS. The window to be 102 mm inside from front side 7. A steel logo of 202 grade of the institute embossed on it on the middle top portion. 8. The back counter ( runner table) extends to further 1220 mm at the RHS with 4 lockable drawers , The front side to have a cupboard of size: HxW:815x305 mm with a shelf in between 9. Foot rest at 102 mm from the ground 10. Let side extends to 2" with a two drawers. 11. Drawer run on telescopic channel of ebco make | 1  |  | 0.00 |
|----|----------------------------------|---|----|--|------|
| 15 | CHAIR                            | 1. Teak wood structure 2. Total height:100mm, depth:460, width:460, Height of seat from base: 460 3. Seat to be foamed and uphostered of 40 mm thick Kurlon foam. 4. Leg: 38x50 mm 5. Structure to be made of 40 mm Teak wood   | 30 |  | 0.00 |
| 16 | SIDE STATION                     | 1. Overall size (LxDxH): 1320 mm x 500 mm x 1000 mm 2. Splash guard: 127 4. Teak wood structure 5. 18 mm dense ply board of ISI mark 303 grade covered with postform mica. 6. 4 drawers with lock and handle: Lx HxD-300 x 203x457 (Each drawer partioned in two from inside) 7. 2 shelves in the RHS with single partition. Size of one  | 3  |  | 0.00 |
| 17 | TABLE<br>RECTANGULAR             | 1. Teak wood structure 2. Size:1600mm x 1000 mm x 820 mm (LxWxH) 3. Table top with 18mm ply ISI 303 grade with 2 mm beading at edges of wooden. 4. Leg 4, square76 x76 5. Top toughened Glass of 8 mm with half moon polished edge. 6. Structure to be made of 40 mm Teak wood  | 6  |  | 0.00 |
| 18 | BUFFET<br>COUNTER                | 1. Teak wood structure with Granite Top rounded at the edge 2. Total Size:3000 mm *750 mm* 850 mm (L*B*H) 3. 2 mm beading at edges of wooden (wherever required). 4. 16 Drawers of (LxD) 328 mm x 720 mm with lock and handle 5.  Drawers to be monuted on roller channels 6. 8 Caster Wheels of 120 mm   | 1  |  | 0.00 |
| 19 | Letter BOARDS                    | 1. Size- 1000 mm x 650mm nos with Aluminium Bidding on stand  | 2  |  | 0.00 |
| To | otal in Words                    | Total of Serial No 1 to 15  | 1  |  | 0.00 |

| Teri | Terms and Conditions   |  |  |  |  |  |
|------|--|--|--|--|--|--|
| 1    | The bidder shall quote only one price for each item  |  |  |  |  |  |
| 2    | be bidder should quote all the items as per the list of the Tender; if any item is left unquoted the Tender of the Bidder will be summarily rejected.                        |  |  |  |  |  |
| 3    | The prices quoted by the bidder shall remain fixed during the entire period of contract  |  |  |  |  |  |
| 4    | A bid submitted with an adjustable price quotation is likely to be treated as non-responsive and rejected  |  |  |  |  |  |
| 5    | "DISCOUNT", if any, offered by the bidders, are to be specifically indicated in the price schedule   |  |  |  |  |  |
| 6    | The price approved by the tender Committee for procurement will be inclusive of levies and taxes, packing, forwarding, freight and insurance as mentioned in clause 6.2 (c). |  |  |  |  |  |
| 7    | The prices/rates quoted in total should be indicated in words as well as in figures  |  |  |  |  |  |
| 8    | The offer shall be firm in Indian Rupees only.   |  |  |  |  |  |
| 9    | Brand or Model is to be specifically mentioned in the relevant coloumn   |  |  |  |  |  |
| 10   | Images are illustrative and actual shape may vary.   |  |  |  |  |  |